

# *Fairfacts*

CHINA  
BATHROOM  
ACCESSORIES



MADE IN CHINA  
BATHROOM

DATHROOM ACCESSORIES - Fairfacts - A.I.A. File No. 271

# *Fairfacts Fixtures*

## CHINA ACCESSORIES FOR THE BATHROOM

### SCOPE

*Residences  
Apartments  
Hotels  
Hospitals  
Institutions  
Office Buildings*



### UTILITY

*Bathrooms  
Toilet Rooms  
Shower Rooms  
Kitchens  
Pantries  
Laundries*

*The Fairfacts Company*  
INCORPORATED

*Manufacturers*

234-236 WEST FOURTEENTH STREET  
NEW YORK CITY



See A.I.A. File No. 23i



# *Fairfacts Fixtures*

SPECIAL PROCESS

CHINA BATHROOM ACCESSORIES

TRADE



MARK

*Sold and Installed by*  
TILE CONTRACTORS

Therefore see

A.I.A. FILE No. 23i

FOR FULL DETAILS



This is a cross index for your file. Formerly all Bathroom Accessories were filed under A.I.A. No. 29i. Now, however, this kind is filed under No. 23i.



See A.I.A. File No. 23i



# Fairfacts Fixtures

SPECIAL PROCESS

CHINA BATHROOM ACCESSORIES



TRADE

MARK

*Sold and Installed by*  
**TILE CONTRACTORS**

Therefore see

**A.I.A. FILE No. 23i**

FOR FULL DETAILS



This is a cross index for your file. Formerly all Bathroom Accessories were filed under A.I.A. No. 29i. Now, however, this kind is filed under No. 23i.



# Fairfacts Fixtures

## Foreword



AIRFACTS CHINA RECESSED BATHROOM ACCESSORIES, now grown to be the most extensive line obtainable, and covered by many U. S. Patents, were the first of this type ever manufactured.

Patented: Feb. 13, Aug. 21, Aug. 28, Sept. 4, Sept. 11, Oct. 23, 1917; Feb. 12, May 28, July 16, 1918; and April 15, July 29, 1919.

The Fairfacts Company is undoubtedly the largest of its kind in the world, with all that it implies of experience, facilities and service.

Fairfacts Bathroom Accessories are fitted to modern needs, adequate in all the essentials, and attractive in appearance. That they have profoundly affected, have revolutionized the equipment of the modern bathroom, is demonstrated on every hand.

They are of high-grade china. The special process of manufacture, developed after many years, results in a body and surface finish of the finest quality that is also practically everlasting. The expansion and contraction of the body and surface finish is so nearly equal that no surface cracks or fractures occur.

Sanitary Engineers call china the best and most sanitary material known for bathroom users.

Fairfacts Fixtures are non-absorbent, sanitary and efficient. There is no nickel to polish, no white coating to wear off or chip off. They always retain their spotless appearance, maintaining the high standard of cleanliness now demanded.

The same straight, dignified lines, the same design has been carried out in the various fixtures, as with a fine dinner set; harmonizing with the plumbing fixtures and the straight lines of the tile wall.

These accessories have been widely imitated, but like most imitations, many are of poor quality, and purchasers should protect themselves by insisting upon having genuine Fairfacts Fixtures.

Information on page 4 regarding accessories that are made in various colors.

### General Index to Fairfacts China Bathroom Accessories, Mirrors and Medicine Cabinets

| Description  | Page  | Description   | Page              |
|--|-------|---|-------------------|
| Description of Types of Fairfacts Fixtures.....  | 2     | Illustrations of Practical Applications of Fairfacts Accessories  | 14                |
| Methods of Installation in Various Types of Walls.....   | 3     | Setting Height Elevations and Plan Diagram of Typical Residence Bathroom with Shower Stall.....             | 15                |
| Fixtures in Color.....   | 4     | Suggested Standard Specification for Residence, Hotel or Apartment Buildings.....                           | 15                |
| Soap Holders.....  | 5     | Setting Height Elevations and Plan Diagram of Typical Apartment or Hotel Building with Shower Over Tub..... | 16                |
| Safety Grips and Combination Soap Holders and Safety Grips   | 6     | Suggested Schedule of Fairfacts Accessories for Various Priced Residences.....                              | 17                |
| China Hooks, Tumbler Holders, Toothbrush Holders and Combination Tumbler and Toothbrush Holders..... | 7     | Suggested Schedule of Fairfacts Accessories for Apartment or Hotel Buildings.....                           | 18                |
| Sponge Holders and Combination Sponge and Soap Holders and Toilet Paper Holders.....                 | 8     | Detailed Index, Dimensions and Condensed Description.....   | 19-20             |
| Semi-recess Fixtures for Thin Partitions.....  | 9     | Branches, Cable Address, Codes, etc.....  | Inside back cover |
| Towel Bars and Glass Shelves.....  | 10    |   |                   |
| Electric Radiator, China Seats and Comb and Brush Holders.....                                       | 11    |   |                   |
| Cigar and Cigarette Holders, Metal Hooks and China Door Stop, Cigar Rest, Comb and Brush Holder..... | 11    |   |                   |
| Medicine Cabinets, Mirrors and Towel Supply Shelves.....   | 12-13 |   |                   |



# Fairfacts Fixtures

## Made for Any Type of Wall Construction or Surface Finish

A practical, pleasing sanitary and really satisfactory installation can be made on any type of interior wall construction or surface finish. See Page 3 for methods of setting in the following types of wall:

| INTERIOR<br>CONSTRUCTION      | BOND          | WALL FINISH       |
|-------------------------------|---------------|-------------------|
| Wood stud                     | Metal lath    | Tile              |
| Terra cotta or hollow<br>tile | Wood lath     | Plaster           |
| Brick                         | Plaster board | Keene's<br>cement |
| Gypsum block                  | Sheetrock     |                   |
| Metal stud walls (thin)       |               |                   |

## Fairfacts Fixtures Should Be Included in the Construction Work and Mentioned in the Tile Specifications

The desirability of building accessories into the walls during the period of construction has been generally recognized. Fairfacts fixtures should be included in the construction work, mentioned in the tile specifications and shown on the drawings.

*Important:* Fairfacts fixtures are sold and installed by tile contractors and should be included in the tile contract, if used on tile finish walls.

## Made in Tile Sizes—Select Proper Size to Fit the Tile

The tiles generally used for walls are made in 6x3, 6x6 and  $4\frac{1}{4} \times 4\frac{1}{4}$ -in. sizes, and Fairfacts accessories are made to fit these unit sizes or their multiples. Care should be exercised to see that the proper sizes are selected to fit the tile, and their installation can be easily made.

## Types of Fairfacts Fixtures and Methods of Installation: Biltin or Recessed Type, Semi-recess Type, and Projecting Type

*Biltin or Recessed Type*—These are set into or recessed almost entirely into the walls, and cemented in place when the tile or other wall finish is put on. The greatest depth required in the wall is  $3\frac{1}{4}$  in., except for F-180 radiator, which needs 5 in. *When used on tiled walls they should be included in the tile contract.*



F115  
Built in Type-section

Recessed fixtures that are 6x3, 6x6, 6x9 and 6x12 in. require little cutting of tile when set in 6x3 or 6x6-in. tile. All these fixtures can be set in  $4\frac{1}{4} \times 4\frac{1}{4}$ -in. tile but it requires more cutting. All  $4\frac{1}{4} \times 4\frac{1}{4}$ , 6x $4\frac{1}{4}$  and  $8\frac{1}{2} \times 4\frac{1}{4}$ -in. recessed fixtures are for use with  $4\frac{1}{4} \times 4\frac{1}{4}$ -in. tile.

Methods of installation in various types of walls shown in sketches on following page.

*Semi-recess Type*—These fixtures recess into the wall but 1 in. and for this reason are admirably suited for installation in unusually thin partitions of all kinds. Also in circumstances where piping or other obstructions are found in walls of the usual depth or thickness. They are cemented in place and have a flange that overlaps the aperture, covering up the edges of the opening. This type of fixture is set as noted for Recess Type.

*Projecting Type*—In other respects their installation corresponds to the Biltin or Recessed Fixtures. They have special backs or wall attachments by which they are cemented to the wall.

These backs are of two kinds: "Back Shank or Dowel Type" and "Clincher" Back Type.

Where recessed fixtures are not desired, these projecting fixtures will be found adequate and very attractive as they have been designed with unusual care to improve on existing metal patterns and to meet the demands of modern bathrooms.

*Back Shank or Dowel Fixtures*—The depth required in the wall for this type is only 1 in. The dowels are heavy and strong and make a very substantial wall attachment.

*When Set in Tile Walls*—Usually set after the tile is in place. A hole corresponding to the shape, size and depth of the dowel, but slightly larger, is made in the wall. The dowel is then well covered with rich cement or plaster of paris and fixture pushed into place.

*Note:* Make holes in tile preferably at intersection of tile joints. Be sure hole is not too large to be concealed by fixture.

*When Set in Keene's Cement or Plaster Walls*—Hole is cut in wall and fixture pushed into place as for tile wall, but it is desirable that pieces of studding with their wide sides towards the front be nailed to studs (flush with face of studs) and the hole cut in the pieces of studding (see illustration).

*Clincher Back Fixtures*—Made in tile sizes to avoid cutting the tile. They are cemented in place and the greatest depth needed is  $\frac{3}{4}$  in.


*When Set in Tile Walls*—Installed while tile is being set, or opening of proper dimensions may be left in tile work and fixtures set later. Make openings deep enough for liberal quantity of rich cement or plaster of paris and also cover the back of fixtures and fill the clinchers with the cement. Then push or tamp fixtures into place until glazed surface is flush with finished wall.

*When Set in Keene's Cement or Plaster Walls*—Set fixtures before applying finish coat to wall. Expose the lath where fixtures are to go and set as for tile walls.


*Note:* For walls with wood stud interior and sheetrock or plaster board bond, see illustration for method of preparing opening. After opening is prepared set fixtures as described for "When Set in Tile Walls."



# Fairfacts Fixtures



## METHODS OF INSTALLING FAIRFACTS BILTIN FIXTURES IN VARIOUS TYPES OF WALLS



## INSTALLATION OF DOWEL, CLINCHER & SEMI-RECESS TYPE OF FIXTURE

### Types of Fairfacts Fixtures and Methods of Installation in Various Kinds of Walls

On pages 17 and 18 are specifications of equipment suggested for residences of various total costs and for hotels, apartments, etc. Specifications for fixtures shown on page 14 appear on page 18.

See Page 4 for Fixtures in Color



# *Fairfacts Fixtures*

---



Fairfacts Accessories in black, in gold and in colors, similar to the colored tiles which you may select for your clients, are promptly manufactured after receipt of a sample of the tile from your tile contractor.

These black and gold and colored accessories are kiln treated and of the finest quality.


Black accessories of the commonly used patterns such as F 115 Soap Holder, F 160 Tumbler Holder, etc., etc., are carried in stock.

Metal accessories such as medicine cabinets, F 60 paper holders and screwed on metal hooks are finished in colors in baked enamel to harmonize with the colored china fixtures.

Square and round pyralin and glass towel bars and glass shelves are also furnished in black and colors.



# Fairfacts Fixtures



## SOAP HOLDERS

Biltin or Recessed Pattern and Projecting Pattern

| NO.   | SIZE, IN.           | FIXTURE                        | NO.   | SIZE, IN.          | FIXTURE                               |
|-------|---------------------|--------------------------------|-------|--------------------|---------------------------------------|
| F-100 | 6 x3 x2 1/2         | Biltin Soap Holder, with lip   | F-125 | 6 x6 x3            | Biltin Soap Holder, self drain        |
| F-105 | 4 1/4 x4 1/4 x3     | Biltin Soap Holder, with lip   | F-126 | 9 x6 x3            | Biltin Soap Holder, self drain        |
| F-110 | 6 x4 1/4 x2 3/4     | Biltin Soap Holder, with lip   | F-127 | 12 x6 x3           | Biltin Soap Holder, self drain        |
| F-112 | 8 1/2 x4 1/4 x2 3/4 | Biltin Soap Holder, with lip   | F-128 | 12 x6 x3           | Biltin Soap Holder, self drain        |
| F-115 | 6 x6 x2 3/4         | Biltin Soap Holder, with lip   | F-130 | 4 3/4 x3 1/4       | Projecting Soap Holder, dowel type    |
| F-116 | 9 x6 x2 3/4         | Biltin Soap Holder, with lip   | F-135 | 5 3/4 x5 3/4       | Corner Soap Holder, dowel type        |
| F-117 | 12 x6 x2 3/4        | Biltin Soap Holder, with lip   | F-400 | 6 x3 x3 3/4        | Projecting Soap Holder, clincher back |
| F-118 | 12 x6 x2 3/4        | Biltin Soap Holder, with lip   | F-408 | 6 x1 1/2 x 3/4     | Projecting Soap Holder, clincher back |
| F-119 | 12 x6 x3 1/8        | Biltin Soap Holder, with lip   | F-500 | 4 1/4 x4 1/4 x 3/4 | Projecting Soap Holder, clincher back |
| F-120 | 6 x3 x2 3/4         | Biltin Soap Holder, self drain |       |                    |                                       |
| F-121 | 4 1/4 x4 1/4 x3     | Biltin Soap Holder, self drain |       |                    |                                       |
| F-122 | 6 x4 1/4 x3         | Biltin Soap Holder, self drain |       |                    |                                       |
| F-123 | 8 1/2 x4 1/4 x3     | Biltin Soap Holder, self drain |       |                    |                                       |

Note: Installation data on page 3; plan and elevations showing setting heights, also specifications and schedules of accessories on following pages. Above sizes are inches, horizontal, vertical and depth in the wall in the order given.

### Important when Selecting

Biltin Soap Holders having the front lip are the regular pattern. Because of the vertical opening very little water collects, and they need only to be cleaned as occasion demands. These soap holders really hold the soap; it does not slip over the edge down to the floor.

Biltin Soap Holders having the fluted base, self-draining type, are used with shower baths, over bathtubs or in shower compartments. The

\*Designed especially to go in the back corner of the tub near the faucets where it is out of the way, to hold soap brush or sponge. It is the extra fixture so often sorely needed.

self-draining feature prevents accumulation of water from shower, as the valleys slope toward the front discharging the water, and the soap supporting ridges slope backward, preventing soap from falling out.


Biltin Soap Holders larger than 6 in. are desirable where individuals in a family use different soaps; or for soap and sponge.

See Page 4 for Fixtures in Color

Page Five



# Fairfacts Fixtures



## SAFETY GRIPS AND SAFETY GRIP COMBINATIONS

Biltin or Recessed Pattern and Projecting Pattern

| NO.   | SIZE, IN.     | FIXTURE  | NO.   | SIZE, IN.           | FIXTURE                                   |
|-------|---------------|--|-------|---------------------|---|
| F-140 | 6 x6 x2 3/4   | Biltin Safety Grip                               | F-157 | 6 x3 x2 1/2         | Biltin Combined Soap and Grip, self drain |
| F-145 | ...x...x1 3/8 | Projecting Safety Grip 12 in. long, dowel type   | F-158 | 6 x3 x2 1/2         | Biltin Combined Soap and Grip, self drain |
| F-146 | ...x...x1 3/8 | Projecting Safety Grip 18 in. long, dowel type   | F-190 | 6 x4 1/4 x2 3/4     | Biltin Combined Soap and Grip, with lip   |
| F-150 | 6 x6 x3       | Biltin Combined Soap and Safety Grip, self drain | F-191 | 8 1/2 x4 1/4 x2 3/4 | Biltin Combined Soap and Grip, self drain |
| F-151 | 6 x6 x2 3/4   | Biltin Combined Soap and Safety Grip, with lip   | F-195 | 6 x4 1/4 x3         | Biltin Combined Soap and Grip, self drain |
| F-152 | 6 x6 x3       | Biltin Combined Soap and Safety Grip, self drain | F-196 | 8 1/2 x4 1/4 x3     | Biltin Combined Soap and Grip, self drain |
| F-153 | 9 x6 x2 3/4   | Biltin Combined Soap and Safety Grip, with lip   | F-450 | 6 x3 x 3/4          | Projecting Safety Grip, clincher back     |
| F-154 | 9 x6 x3       | Biltin Combined Soap and Safety Grip, self drain | F-451 | 9 x3 x 3/4          | Projecting Safety Grip, clincher back     |
| F-155 | 12 x6 x2 3/4  | Biltin Combined Soap and Safety Grip, with lip   | F-452 | 12 x3 x 3/4         | Projecting Safety Grip, clincher back     |
| F-156 | 12 x6 x3      | Biltin Combined Soap and Grip, self drain        | F-550 | 8 1/2 x4 1/4 x 3/4  | Projecting Safety Grip, clincher back     |

Note: Installation data on page 3; plan and elevations showing setting heights, also specifications and schedule of accessories on following pages. Above sizes are inches, horizontal, vertical and depth in the wall in the order given.

### Important When Selecting

Accidents from slipping are avoided if the safety grip is used over the bathtub and in a shower compartment, and two grips for combination tub and shower. It safeguards the bather, the owner, the lessee. Combinations are largely used, for economy, in apartment and hotel


buildings. Separate pieces such as F-115 Soap Holder and F-140 Grip make a more practical residential installation. Biltin combinations larger than 6 in. right to left are desirable when individuals in a family use different soaps, or for soap and sponge.

See Page 4 for Fixtures in Color



# Fairfacts Fixtures

BATHROOM ACCESSORIES - Fairfacts - A.I.A. File No. 23i



## HOOKS, TUMBLER, TOOTHBRUSH HOLDERS AND COMBINATIONS

Biltin or Recessed Pattern and Projecting Pattern

| NO.   | SIZE, IN.             | FIXTURE  | NO.   | SIZE, IN.           | FIXTURE   |
|---|-----------------------|--|-------|---------------------|---|
| F-160   | 6 x 6 x 2 3/4         | Biltin Tumbler Holder                                    | F-405 | 6 x 3 x 3/4         | Projecting Tooth Brush and Paste, clincher back                 |
| Surface supporting the tumbler slopes toward the back, preventing it from falling out. There is both protection from breakage and ample room to grasp the tumbler. Design harmonizes with Biltin Soap Holder. |                       |  | F-407 | 6 x 1 1/2 x 3/4     | Projecting Tumbler and Tooth Brush Holder, clincher back        |
| F-165   | 3 1/4 x 1 1/4         | Projecting Tumbler Holder, dowel type                    | F-409 | 6 x 1 1/2 x 3/4     | Projecting Tooth Brush Holder, clincher back                    |
| F-330   | 6 x 2 1/4 x 1 5/8     | Projecting Tooth Brush Holder, dowel type                | F-417 | 6 x 3 x 3/4         | Projecting Tooth Brush and Tumbler Holder, clincher back        |
| F-331   | 6 x 2 1/4 x 2         | Projecting Tooth Brush Holder, dowel type                | F-480 | 6 x 3 x 3/4         | Projecting Tooth Brush Holder, clincher back                    |
| F-340   | 2 3/8 x 2 3/8 x 1 3/8 | Projecting Towel Hook, dowel type, 4 in. long            | F-490 | 6 x 3 x 3/4         | Projecting Towel Hook, clincher back, 4 in. long                |
| F-341   | 1 7/8 x 2 3/8 x 1 3/8 | Projecting Robe Hook, dowel type, 3 1/2 in. long         | F-501 | 8 1/2 x 4 1/2 x 3/4 | Projecting Soap and Tumbler Holder, clincher back               |
| F-342   | 1 3/4 x 2 1/2 x 1     | Projecting Douche Hook, dowel type, 2 in. long           | F-502 | 8 1/2 x 4 1/2 x 3/4 | Projecting Soap and Tooth Brush, clincher back                  |
| Can also be used as strop hook  |                       |  | F-503 | 4 1/2 x 4 1/2 x 3/4 | Projecting Tumbler, clincher back                               |
| F-401   | 9 x 3 x 3/4           | Projecting Soap and Tumbler Holder, clincher back        | F-504 | 8 1/2 x 4 1/2 x 3/4 | Projecting Tooth Brush, Paste and Tumbler Holder, clincher back |
| F-402   | 9 x 3 x 3/4           | Projecting Soap and Tooth Brush, clincher back           | F-505 | 4 1/2 x 4 1/2 x 3/4 | Projecting Tooth Brush and Paste, clincher back                 |
| F-403   | 6 x 3 x 3/4           | Projecting Tumbler Holder, clincher back                 | F-590 | 4 1/2 x 4 1/2 x 3/4 | Projecting Towel Hook, clincher back, 4 in. long                |
| F-404   | 9 x 3 x 3/4           | Projecting Tooth Brush, Paste and Tumbler, clincher back |       |                     |   |


Note: Installation data on page 3; plan and elevations showing setting heights, also specifications and schedule of accessories on following pages. Above sizes are inches, horizontal, vertical and depth in the wall in the order given.

See Page 4 for Fixtures in Color

Page Seven



# Fairfacts Fixtures



## SPONGE HOLDERS, COMBINATIONS AND TOILET PAPER HOLDERS

Biltin or Recessed Pattern and Projecting Pattern

Dimensions and Condensed Description

Sizes are in inches, horizontal, vertical and depth in the wall, in the order given

| NO.    | SIZE, IN.   | FIXTURE  | NO.   | SIZE, IN.   | FIXTURE   |
|--------|-------------|--|-------|-------------|---|
| * F-1  | 6 x 6 x 3¼  | Biltin Roll Paper Holder, rewind roller                                    | F-119 | 12 x 6 x 3¼ | Biltin Soap and Tumbler Holder, with lip                  |
|        |             | Hood protects paper from water. Holder projects only two inches from wall. | F-170 | 6 x 6 x 3¼  | Biltin Sponge Holder                                      |
| F-2    | 6 x 6 x 3¼  | Biltin Roll Paper Holder, plain roller                                     | F-171 | 12 x 6 x 3¼ | Biltin Combined Soap and Sponge, with lip                 |
| F-12   | 6 x 6 x 3¼  | Biltin Roll Paper Holder, plain roller                                     | F-172 | 12 x 6 x 3  | Biltin Combined Soap and Sponge, self drain               |
| F-25   | 6 x 6 x 2½  | Biltin Sheet Paper Holder, 1000 sheet capacity                             | F-175 | 6 x 6 x 3   | Biltin Sponge Holder, with lip                            |
| F-26   | 6 x 6 x 2½  | Biltin Sheet Paper Holder, 1000 sheet capacity                             | F-410 | 9 x 3 x ¾   | Projecting Roll Paper Holder, plain roller, clincher back |
|        |             | F-25 and F-26 accommodate special patented folded paper—readily obtained   | F-412 | 9 x 3 x ¾   | Projecting Sheet Paper Holder, clincher back              |
| F-30   | 9 x 2½ x 1½ | Projecting Roll Paper Holder, plain roller                                 | F-470 | 6 x 3 x ¾   | Projecting Sponge Holder, clincher back                   |
| † F-60 | 8 x 10½ x 3 | Biltin Sheet Paper Holder, heavy cast metal, white coated                  | F-570 | 8½ x 4¼ x ¾ | Projecting Sponge Holder, clincher back                   |

†Large enough for the largest sheets of toilet paper. Screwed to interior wood strips previously set by carpenter.

\*Patented roller, illustrated, rolls up paper, preventing that annoying unwinding. Saves paper—only a few sheets can be unrolled at a time.

Note: All projecting roll paper holders take the usual standard staple rolls of paper. Recessed paper holders accommodate rolls of paper containing 1000 sheets only. Rewind rollers require standard size pasteboard cores of, approximately, 1¼ in. diameter inside usually found in rolls of 1000 sheets of paper.

Note: Installation data on page 3; plan, elevations, setting heights and schedule of accessories on following pages.



# Fairfacts Fixtures

## SEMI RECESS OR FLANGED PATTERN FOR THIN PARTITIONS




F-0115 6x6



F-0100 6x3




F-0120 6x3




F-0125 6x6



F-0160 8x6



F-0158 6x3



F-0151 6x6




F-0152 6x6




F-0152  
TYPICAL ELEVATION  
INDICATING SHALLOW  
RECESS IN WALL



F-0125  
DETAILS OF  
EXTENDED DRAIN




F-0125 6x6  
EXTENDED DRAIN



F-02 6x6



F-025 6x6



F-0152 6x6  
EXTENDED DRAIN

### See Page 4 for Fixtures in Color

These accessories are, in general, similar to the full recess type. They are put to the same uses. Their interior dimensions correspond to the same sizes in the full recess. They require the same holes or apertures in the wall, except that all these fixtures recess into the wall but 1 in. When cement is to be placed at back of fixtures, holes should be enough deeper to take the cement. These semi-recess fixtures overlap and cover the edges of the holes in which they are cemented. They are designed for installation in very thin walls or in all kinds of walls where pipes or other obstructions are encountered, and can be used with any size tile.

Special attention is called to F-0125 and F-0152 extended drain, which drains into the bathtub and away from the wall, thus filling an occasional demand. They really do what they are claimed to do. They have no dangerous spout to injure the bather.


F-02 Paper Holder will accommodate rolls of paper containing 2,500 Sheets.

F-025 accommodates special patented folded paper—readily obtained.

| Description   | Cat. No. | For tile<br>Size in. | Dimensions<br>Outside in. | Wall<br>Opening in. | Wall<br>Projection in. |
|---|----------|----------------------|---------------------------|---------------------|------------------------|
| <b>Soap Holders</b>                                 |          |                      |                           |                     |                        |
| With lip.....                                       | F-0100   | 6x3                  | 6 1/2 x 3 1/2             | 6x3                 | 2                      |
| With lip.....                                       | F-0115   | 6x6                  | 6 1/2 x 6 1/2             | 6x6                 | 2 1/8                  |
| Self drain.....                                     | F-0120   | 6x3                  | 6 1/2 x 3 1/2             | 6x3                 | 1 3/4                  |
| Self drain.....                                     | F-0125   | 6x6                  | 6 1/2 x 6 1/2             | 6x6                 | 2                      |
| Extended drain                                      | F-0125x  | 6x6                  | 6 1/2 x 6 1/2             | 6x6                 | 2 3/8                  |
| <b>Tumbler Holder</b>                               |          |                      |                           |                     |                        |
| With lip.....                                       | F-0160   | 6x6                  | 6 1/2 x 6 1/2             | 6x6                 | 2 1/4                  |
| <b>Toilet Paper Holders</b>                         |          |                      |                           |                     |                        |
| Roll.....   | F-02     | 6x6                  | 6 7/8 x 6 7/8             | 6x6                 | 2 1/2                  |
| Sheet.....  | F-025    | 6x6                  | 6 1/2 x 6 1/2             | 6x6                 | 1 3/8                  |
| <b>Combination Soap Holder and Safety Wall Grip</b> |          |                      |                           |                     |                        |
| With lip.....                                       | F-0151   | 6x6                  | 6 1/2 x 6 1/2             | 6x6                 | 2 3/4                  |
| Self drain.....                                     | F-0152   | 6x6                  | 6 1/2 x 6 1/2             | 6x6                 | 2 3/4                  |
| Extended drain                                      | F-0152x  | 6x6                  | 6 1/2 x 6 1/2             | 6x6                 | 2 3/4                  |
| Self drain.....                                     | F-0158   | 6x3                  | 6 1/2 x 3 1/4             | 6x3                 | 2 1/2                  |



# Fairfacts Fixtures



## Fairfacts Pyralin, White or Crystal Glass Towel Bars and Glass Shelves

**Fairfacts Non-slip Towel Bars**—Are  $\frac{7}{8}$  in. square and are covered with heavy white sheet Pyralin. Are set edge up, affording three points of contact that keep the towels from slipping off.

**Fairfacts Round Bars**—Bars are 1 in. in diameter and can be furnished in either clear crystal or white glass, or in Pyralin finish.

### DIMENSIONS AND SERIES NUMBER FOR ORDERING TOWEL BARS

| C. to c. of end posts, in. | Back shank or dowel type |        | Clincher back type |         |                                      |
|----------------------------|--------------------------|--------|--------------------|---------|--------------------------------------|
|                            |                          |        | 3x3 in.            | 6x3 in. | 4 $\frac{1}{4}$ x4 $\frac{1}{4}$ in. |
| 18                         | F-300                    | *F-310 | F-600              | F-430   | F-530                                |
| 24                         | F-300                    | *F-310 | F-600              | F-430   | F-530                                |
| 30                         | F-300                    | *F-310 | F-600              | F-430   | F-530                                |
| 36                         | F-300                    | *F-310 | F-600              | F-430   | F-530                                |
| †42                        | F-300                    | *F-310 | F-600              | F-430   | F-530                                |
| †48                        | F-300                    | *F-310 | F-600              | F-430   | F-530                                |

\*Heavy bars 1 $\frac{1}{4}$  in. square and large posts with dowels.

†42 and 48-in. bars have center posts as well as end posts.

**Directions for Ordering**—All posts or brackets are of china and are made with either back shank or dowel or clincher back wall anchorage. Letter F alone before the series number designates the non-slip bars—as F-300. For white glass bars add the letter W to the non-slip catalogue number shown in table—as F-300W; for crystal glass bars add letter C—as F-300C; for Pyralin covered bars add letter P—as F-300P.

**Note:** Catalogue number shown in table is for non-slip bar. Add W, C or P for white glass, crystal or Pyralin round bars.

### DIMENSIONS AND SERIES NUMBER FOR ORDERING WHITE GLASS SHELVES

Shelves are 5 in. wide,  $\frac{5}{16}$  in. thick with china brackets. Shelves rest on or are bolted to brackets, as illustrated.


| Length over all, in. | Back shank or dowel type |       | Clincher back type |       |                                      |         |
|----------------------|--------------------------|-------|--------------------|-------|--------------------------------------|---------|
|                      |                          |       | 6x3 in.            |       | 4 $\frac{1}{4}$ x4 $\frac{1}{4}$ in. | 3x3 in. |
| 20                   | F-320                    | F-325 | F-460              | F-465 | F-560                                | F-565   |
| 24                   | F-320                    | F-325 | F-460              | F-465 | F-560                                | F-565   |
| 30                   | F-320                    | F-325 | F-460              | F-465 | F-560                                | F-565   |

**Note:** Series numbers ending in 0 have shelves resting on brackets; series numbers ending in 5 have shelves bolted to brackets (see illustrations).



# Fairfacts Fixtures

BATHROOM ACCESSORIES - Fairfacts - A.I.A. File No 231



## BATHROOM SEATS, RADIATOR, HOOKS, CIGAR RESTS, COMB AND BRUSH HOLDER AND DOOR STOP

| NO.   | SIZE, IN. | FIXTURE                    |
|-------|-----------|----------------------------|
| F-685 | 15 x15 x3 | China Bathroom Corner Seat |

Not affected by bathroom conditions and takes little room. Upper surfaces slope towards the wall, making a very comfortable seat. Built with a large factor of safety and will support the heaviest person.

|       |           |                                 |
|-------|-----------|---------------------------------|
| F-680 | 15 x15 x3 | China Bathroom Seat and Bracket |
|-------|-----------|---------------------------------|

Has a deep groove in underside into which the heavy bracket is fitted. Both seat and bracket extend 3 in. into wall and have locking grooves for binding the cement.

These seats will last a lifetime in perfect condition.

|       |           |                          |
|-------|-----------|--------------------------|
| F-180 | 15 x15 x5 | Biltin Electric Radiator |
|-------|-----------|--------------------------|

Equipment includes 3 110-120 volt, 250-watt lamps, 3 china sockets, heavy galvanized outlet box, polished brass plate, extra heavy 250-volt, 20-ampere switch, with iron outlet box, china switch plate with white head

Note: Methods of installation in various types of walls on page 3; plan and elevations showing setting heights on following pages. Above sizes are in inches, horizontal, vertical and depth in the wall, in the order given.

screws. Adequate wiring should be provided and the usual precautions against fire should be provided.

Heat in the bathroom is so often needed in the early morning or during the night when the regular heating plant is banked or shut down for the season, that the electric radiator is an absolute necessity for bathroom comfort during these periods. The average bathroom can be heated in from 5 to 10 minutes at a cost of about three cents.

| NO.   | SIZE, IN.          | FIXTURE   |
|-------|--------------------|---|
| F-406 | 6 x3 x 3/4         | Projecting Cigar Rest, clincher back            |
| F-506 | 4 1/4 x4 1/4 x 3/4 | Projecting Cigar Rest, clincher back            |
| F-700 | 3 x3               | Door Stop, clincher back                        |
| F-640 | 12 x3 x 3/4        | Projecting Comb and Brush Holder, clincher back |
| F-800 |                    |   |
| F-805 |                    |   |
| F-810 |                    |   |

\*Metal Hooks, white coated, screw to wall



\*Are designed for use in hotels, clubs, etc.

See Page 4 for Fixtures in Color

Page Eleven



# Fairfacts Fixtures



**DIMENSION DIAGRAMS OF MEDICINE CABINETS**  
**SERIES F-1000, F-2000, F-3000, F-4000, F-5000, F-6000, F-8000**  
 Sizes and Dimensions as Shown in Diagrams

The fine quality cabinets illustrated above and on page 13, the series F-8000, the access cabinets, the mirrors series F-9000 and the mirror with shelf below, series F-9300, are described as follows:

Heavy pressed steel, gas welded, corners filed smooth, oven baked enamel finish, polished plate glass mirrors, crystal glass shelves where shown.

Mirrors can be furnished without bevel, and shelves can be white glass if desired.

Shelves are supported on polished aluminum brackets. These brackets fit into sockets in the sides of the cabinets having oven baked enamel finish, which provide a wide adjustment of the shelves up and down. A special feature of the brackets prevents the shelves from tipping.

The doors have substantial hinges, with oven baked finish, glass knobs and bullet friction catches.


**DIMENSION DIAGRAMS OF MEDICINE CABINETS**  
**AND MIRRORS**  
**SERIES F-1000, F-2000, F-3000, F-4000, F-5000, F-6000, F-7000, F-8000, F-9000**  
 Sizes and Dimensions as Shown in Diagrams

| Catalog No. | Mirror Size, Inches Plain or Bev. | Dim. shown on diagrams inches |        |       |       |        |     |        |       | Corresponding Access Cabinet Code Nos.  | Access Wall Openings |
|-------------|-----------------------------------|-------------------------------|--------|-------|-------|--------|-----|--------|-------|---|----------------------|
|             |                                   | A                             | B      | C     | D     | E      | F   | G      | H     |   |                      |
| F-1000      | 10x14 PL.                         | 20                            | 16     | 4 5/8 | 3 3/8 | 17 1/2 | ... | 13 1/2 | 1 1/4 | F-1200  | 14 1/4 x 18 1/4      |
| F-1001      | 12x16 "                           | 22                            | 18     | 4 5/8 | 3 3/8 | 19 1/2 | ... | 15 1/2 | 1 1/4 | F-1201  | 16 1/4 x 20 1/4      |
| F-2000      | 12x12 PL.                         | 24                            | 18     | 4 5/8 | 3 3/8 | 21 1/2 | 6   | 15 1/2 | 1 1/4 | F-2200  | 16 1/4 x 22 1/4      |
| F-3000      | 12x16 PL.                         | 22                            | 18     | 4 5/8 | 3 3/8 | 19 1/2 | ... | 15 1/2 | 1 1/4 | F-3200  | 16 1/4 x 20 1/4      |
| F-3001      | 14x18 "                           | 24                            | 20     | 4 5/8 | 3 3/8 | 21 1/2 | ... | 17 1/2 | 1 1/4 | F-3201  | 18 1/4 x 22 1/4      |
| F-3002      | 14x20 "                           | 26                            | 20     | 4 5/8 | 3 3/8 | 23 1/2 | ... | 17 1/2 | 1 1/4 | F-3202  | 18 1/4 x 24 1/4      |
| F-4000      | 12x12 PL.                         | 24                            | 18     | 4 5/8 | 3 3/8 | 21 1/2 | 6   | 15 1/2 | 1 1/4 | F-4200  | 16 1/4 x 22 1/4      |
| F-4001      | 12x16 "                           | 28                            | 18     | 4 5/8 | 3 3/8 | 25 1/2 | 6   | 15 1/2 | 1 1/4 | F-4201  | 16 1/4 x 26 1/4      |
| F-4002      | 14x14 "                           | 26                            | 20     | 4 5/8 | 3 3/8 | 23 1/2 | 6   | 17 1/2 | 1 1/4 | F-4202  | 18 1/4 x 24 1/4      |
| F-5000      | 14x20 Bev.                        | 24                            | 18     | 5     | 3 3/4 | 21 1/4 | ... | 15 1/4 | 1 1/4 | F-5200  | 16x22                |
| F-5001      | 16x22 "                           | 26                            | 20     | 5     | 3 3/4 | 23 1/4 | ... | 17 1/4 | 1 1/4 | F-5201  | 18x24                |
| F-5002      | 18x24 "                           | 28                            | 22     | 5     | 3 3/4 | 25 1/4 | ... | 19 1/4 | 1 1/4 | F-5202  | 20x26                |
| F-5003      | 20x26 "                           | 30                            | 24     | 5     | 3 3/4 | 27 1/4 | ... | 21 1/4 | 1 1/4 | F-5203  | 22x28                |
| F-6000      | 14x14 Bev.                        | 24                            | 18     | 5     | 3 3/4 | 21 1/4 | 6   | 15 1/4 | 1 1/4 | F-6200  | 16x22                |
| F-6001      | 16x16 "                           | 26                            | 20     | 5     | 3 3/4 | 23 1/4 | 6   | 17 1/4 | 1 1/4 | F-6201  | 18x24                |
| F-6002      | 18x18 "                           | 28                            | 22     | 5     | 3 3/4 | 25 1/4 | 6   | 19 1/4 | 1 1/4 | F-6202  | 20x26                |
| F-6003      | 20x20 "                           | 30                            | 24     | 5     | 3 3/4 | 27 1/4 | 6   | 21 1/4 | 1 1/4 | F-6203  | 22x28                |
| F-7000      | 11x17 Bev.                        | 23                            | 18 3/4 | 6 1/8 | 4 1/2 | 22     | ... | 16 1/8 | 1     | .....   | .....                |
| F-7001      | 14x22 "                           | 28 1/2                        | 21 1/2 | 6 1/8 | 4 1/2 | 27 1/2 | ... | 19 3/4 | 1     | .....   | .....                |
| F-7002      | 16x26 "                           | 32 1/4                        | 23 1/2 | 6 1/8 | 4 1/2 | 31 3/8 | ... | 21 3/4 | 1     | .....   | .....                |
| F-8000      | 12x16 Bev.                        | 21 1/2                        | 17 1/2 | 5     | ...   | ...    | ... | ...    | ...   | NOTE: Access Cabinets take all the dimensions shown on this chart opposite their respective Code Numbers with the exception of dimensions "E" and "G". "E" and "G" are the dimensions of the wall openings. The width and height of the Wall Openings for the Access Cabinets are shown in the extreme right-hand column. |                      |
| F-8001      | 14x18 "                           | 23 1/2                        | 19 1/2 | 5     | ...   | ...    | ... | ...    | ...   |   |                      |
| F-9000      | 14x20 Bev.                        | 21 1/4                        | 15 1/4 | 1     | ...   | ...    | ... | ...    | ...   |   |                      |
| F-9001      | 16x22 "                           | 23 1/4                        | 17 1/4 | 1     | ...   | ...    | ... | ...    | ...   |   |                      |
| F-9002      | 18x24 "                           | 25 1/4                        | 19 1/4 | 1     | ...   | ...    | ... | ...    | ...   |   |                      |
| F-9003      | 20x26 "                           | 27 1/4                        | 21 1/4 | 1     | ...   | ...    | ... | ...    | ...   |   |                      |

See Page 4 for Fixtures in Color



# Fairfacts Fixtures



## MEDICINE CABINETS, MIRRORS, MIRROR WITH SHELF AND TOWEL SUPPLY SHELVES

Series F-7000 Medicine Cabinets are of the finest quality and designed for high-class residential use. They are made of seasoned wood and covered with sheet Pyralin that will not crack or chip or flake off, that is moisture proof and has a beautiful finish. Hinges and shelf brackets are nickel-plated. The balance of the equipment is as described for steel cabinets on page 12.

Wall Cabinets series F-8000 have screw holes in back for attaching to wall. Otherwise they are like cabinets described on page 12.

Access Cabinets are like cabinets described on page 12 except that they have an extra frame to which the cabinet is hinged. This cabinet, when swung open, gives access to pipe shafts, etc., when repairs are necessary. The cabinet is held in closed position by screwdriver lock device. See details on page 12.

Mirrors with open shelf below are fully shown in the illustration and vertical or horizontal. See page 12 for general description.

Mirrors with open shelf below are fully shown in the illustration and line drawing.

Towel supply shelves for use in hotels, hospitals, etc.

F-850 is, perhaps, the most attractive and sanitary towel supply shelf obtainable. The glass shelf rests in solid china brackets that hold it securely so that it won't slip off. The brackets are screwed to the wall and the screws are concealed by china buttons.

F-9500 is an economical towel supply shelf, made of heavy steel having oven-baked enamel finish.

### TOWEL SUPPLY SHELVES TO SCREW TO WALL


F-850—White Glass Towel Supply Shelf, 6 $\frac{3}{4}$ " wide, lengths 20", 24", 26", 28"

F-9500—White Enamelled Steel Towel Supply Shelf, 8" wide, length 24"

### MIRRORS WITH OPEN SHELF BELOW

Series F 9300, Dimensions of Sizes most commonly used.


Also made in special sizes to meet specifications.



Also Furnished in Colors




# Fairfacts Fixtures




*Fairfacts*

Pieces Shown: F160 F33D F115 F321 F30L



*Fairfacts*

Pieces Shown: F405 F400 F461 F305 F430



*Fairfacts*

Pieces Shown: F140 F115 F170 F135 F316



*Fairfacts*

Piece Shown: F115



*Fairfacts*

Pieces Shown: F125 F170 F135 F140 F150



*Fairfacts*

Piece Shown: F1

## SOME PRACTICAL APPLICATIONS OF FAIRFACTS ACCESSORIES


Illustrations above give application of Fairfacts accessories to wash-basin, bathtub without shower bath, bathtub with shower bath, kitchen sink and toilet. The arrangement is the result of long experience. By counting the 6x6 or 6x3 in. tiles, exact locations may be determined.

Dimensions and description of fixtures on preceding pages. Sectional views and methods of installation in various types of walls, on page 3. Plan and elevation of setting heights, architects' specifications and suggested schedule of accessories for various types of buildings on following pages.


See Page 4 for Fixtures in Color




# Fairfacts Fixtures



ELEVATION "A"




ELEVATION "B"



PLAN  
DIAGRAM

KEY TABLE TO FAIRFACTS ACCESSORIES

| Cat. No. | Article   |
|----------|---|
| F-1      | Biltin China Roll Paper Holder                      |
| F-115    | Biltin China Soap Holder                            |
| F-135    | China Soap, Sponge or Brush Holder                  |
| F-151    | Biltin China Combination Soap Holder and Wall Grip  |
| F-152    | Biltin China Combination Soap Holder and Wall Grip  |
| F-160    | Biltin China Tumbler Holder                         |
| F-170    | Biltin China Sponge Holder                          |
| F-180    | Biltin China Electric Bathroom Radiator             |
| F-301    | Nonslip Towel Bar with China Posts (24 in. long)    |
| F-305    | Nonslip Towel Bar with China Posts (48 in. long)    |
| F-321    | White Glass Shelf with China Brackets (24 in. long) |
| F-330    | China Tooth Brush Holder                            |
| F-340    | China Hook for Robes, etc. (4 1/2 in. long)         |
| F-342    | China Hook for Strop, Douche, etc. (2 in. long)     |
| F-685    | China Bathroom Seat                                 |
| F-700    | China Stop  |
| F-710    | China Light Fixture                                 |
| F-5001   | Medicine Cabinet                                    |



ELEVATION "C"

## TYPICAL BATHROOM SHOWING FAIRFACTS ACCESSORIES

### Suggested Standard Specification

**Bathroom Accessories**—(1) The tile contractor shall furnish and set China Bathroom Accessories as manufactured by THE FAIRFACTS CO., INC., New York, N. Y., in accordance with the subjoined specification and schedule of accessories.

(2) **Setting Biltin (Recessed Type)**—(a) In stud and metal lath partitions, cut the metal lath across the top of the opening and down the two sides; bend the flap back to form a shelf and fill the space around the opening with excelsior bound together with plaster of paris to form a pocket; then set the piece in rich cement in the same manner that tile is set. (b) In masonry partitions, cut pockets and fill up any openings to prevent the escape of cement when setting.

(3) **Setting Semi-recess Type and Projecting Fixtures, Both Clincher Back and Dowel Back**—To be set while laying the tile or after it is laid.

Cut hole of sufficient size to receive the backs and set in rich cement mortar.

(4) **Location**—Accessories shall be set as shown on drawing or as will be directed by the architect. Care shall be taken to locate tile joints in such manner that accessories will center over fixtures without the unnecessary cutting of tile.

**Note:** In setting electric radiators, all wiring to be furnished and set by electrical contractor (see electrical wiring specifications).

#### Schedule of Bathroom Accessories—


**Note:** Architect to add here the specific list of fixtures. Suggestions covering various types of residences, apartments and hotels are given on the following pages.

### Suggested Standard Specifications and Setting Heights


A Typical Bathroom Installation with Shower Compartment




# Fairfacts Fixtures




ELEVATION A




ELEVATION B



ELEVATION C



PART OF ELEVATION D



## TYPICAL HOTEL BATHROOM SHOWING FAIRFACTS ACCESSORIES

### Fairfacts Equipment Suggested for Apartment Buildings

#### Bathrooms

##### For Lavatory

- |                                      |                                |
|--------------------------------------|--------------------------------|
| 1 F-115 Soap Holder                  | 1 F-325 20" White Glass Shelf  |
| 1 F-160 Tumbler Holder               | 1 F-300 30" Non-Slip Towel Bar |
| 1 F-405 Tooth Brush and Paste Holder | 1 F-341 Washcloth Hook         |
|                                      | 1 F-5000 Medicine Cabinet      |

#### Bathrooms

##### For Lavatory

- |  |   |
|--|---|
| 1 F-115 Soap Holder                              | 1 F-6001 Metal Medicine Cabinet             |
| 1 F-160 Tumbler Holder                           | 1 F-850 White Glass Towel Supply Shelf      |
| 1 F-405 Tooth Brush and Paste Holder             | 1 F-805 Metal Double Robe Hook White Finish |
| 1 F-810 Metal Towel and Strop Hook, White Finish |   |

##### For Bathtub

- |  |                                |
|--|--------------------------------|
| *1 F-150 or F-151 Combination Soap and Safety Grip | 1 F-300 36" Non-Slip Towel Bar |
|  | 1 F-340 Towel Hook             |

\*With shower baths use soap holders or combined soap holders and safety grips, self-drain type.

#### For Bathtub

- |  |                                |
|--|--------------------------------|
| *1 F-150 or F-152 Combination Soap and Safety Grip | 1 F-300 30" Non-slip Towel Bar |
|--|--------------------------------|

#### For Watercloset

- |                    |                     |
|--------------------|---------------------|
| 1 F-2 Paper Holder | 1 F-342 Douche Hook |
| 1 F-180 Radiator   | 1 F-700 Door Stop   |
| 1 F-340 Robe Hook  |                     |

#### General

#### For Shower

- |  |                    |
|--|--------------------|
| 1 F-150 Combination Soap and Safety Grip | 1 F-340 Towel Hook |
|--|--------------------|

#### For Watercloset

- |                     |                           |
|---------------------|---------------------------|
| 1 F-25 Paper Holder | 1 F-800 Metal Douche Hook |
| 1 F-406 Cigar Rest  |                           |

#### General

- |                   |                   |
|-------------------|-------------------|
| 1 F-685 Bath Seat | 1 F-700 Door Stop |
|-------------------|-------------------|

#### For Public Toilet

- |                            |  |
|----------------------------|--|
| 1 F-25 Toilet Paper Holder | 1 F-805 Metal Double Robe Hook, White Finish |
|----------------------------|--|

### KEY TABLE TO ACCESSORIES

| Cat. No. | Article   |
|----------|---|
| F-710    | Fairfacts China Light Fixture                           |
| F-6001   | Fairfacts Medicine Cabinet                              |
| F-160    | Fairfacts Biltin China Tumbler Holder                   |
| F-405    | Fairfacts Biltin China Tooth Brush and Paste Holder     |
| F-810    | Fairfacts Metal Towel and Strop or Douche Hook          |
| F-150    | Fairfacts Biltin China Combination Soap and Safety Grip |
| F-300    | Fairfacts Non-Slip Towel Bar 24"                        |
| F-25     | Fairfacts Biltin China Sheet Toilet Paper Holder        |
| F-805    | Fairfacts Metal Double Robe Hook (white finish)         |

### ALTERNATIVE TABLE

#### For Thin Partitions

| Cat. No. | Article  |
|----------|--|
| F-710    | Fairfacts China Light Fixture                                |
| F-6001   | Fairfacts Medicine Cabinet                                   |
| F-0160   | Fairfacts Biltin China Tumbler Holder                        |
| F-405    | Fairfacts China Tooth Brush and Paste Holder                 |
| F-810    | Fairfacts Metal Towel and Strop or Douche Hook               |
| F-0152   | Fairfacts Semi-recess China Combination Soap and Safety Grip |
| F-300    | Fairfacts 24" Non-Slip Towel Bar                             |
| F-025    | Fairfacts Semi-recess China Sheet Toilet Paper Holder        |
| F-805    | Fairfacts Metal Double Robe Hook (white finish)              |



# Fairfacts Fixtures

Add any of the following lists to the "Schedule of Bathroom Accessories" in the Standard Specifications given on page 15.  
Suggested schedules should be varied as required to suit needs of each individual job.

## Fairfacts Equipment Suggested for Residences Costing \$5000 to \$8000

**Bathroom—For Lavatory**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-330 Tooth Brush Holder; 1 F-300—24" Non-slip Towel Bar; 1 F-340 Towel Hook; 1 F-6000 Medicine Cabinet.

**For Bathtub**—\*1 F-151 or F-152 Combined Soap and Safety Grip; 1 F-135 for Sponge; 1 F-300—30" Non-slip Towel Bar.

**For Water Closet**—1 F-2 Paper Holder.

**General**—1 F-340 Robe Hook.

Price of above fixtures, \$41.45.

**For Kitchen**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder.

Price of above fixtures, \$4.00.

## Fairfacts Equipment Suggested for Residences Costing \$8000 to \$15,000

**Owner's Bathroom—For Lavatory**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-330 Tooth Brush Holder; 1 F-320—20" White Glass Shelf; 1 F-300—24" Non-slip Towel Bar; 1 F-340 Towel Hook; 1 F-5001 Medicine Cabinet.

**For Bathtub**—\*1 F-151 or F-152 Combined Soap and Grip; 1 F-170 Sponge Holder; 1 F-300—36" Non-slip Towel Bar.

**For Water Closet**—1 F-1 Paper Holder; 1 F-342 Douche Hook.

**General**—1 F-180 Radiator; 1 F-700 Door Stop.

Price of above fixtures, \$110.90.

**Guest's Bathroom—For Lavatory**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-330 Tooth Brush Holder; 1 F-320—20" White Glass Shelf; 1 F-300—24" Non-slip Towel Bar; 1 F-340 Towel Hook; 1 F-5001 Medicine Cabinet.

**For Bathtub**—\*1 F-151 or F-152 Combined Soap and Grip; 1 F-170 Sponge Holder; 1 F-300—36" Non-slip Towel Bar.

**For Water Closet**—1 F-1 Paper Holder; 1 F-342 Douche Hook.

**General**—1 F-180 Radiator; 1 F-700 Door Stop.

Price of above fixtures, \$110.90.

**First Floor Toilet Room—For Lavatory**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-320—20" White Glass Shelf; 1 F-300—24" Non-slip Towel Bar; 1 F-9002 Mirror.

**For Water Closet**—1 F-1 Paper Holder.

Price of above fixtures, \$34.00.

**For Kitchen**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder.

Price of above fixtures, \$4.00.

**Servant's Bathroom—For Lavatory**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-330 Tooth Brush Holder; 1 F-300—18" Non-slip Towel Bar; 1 F-6000 Medicine Cabinet.

**For Bathtub**—\*1 F-152 Combined Soap and Grip; 1 F-300—24" Non-slip Towel Bar.

**For Water Closet**—1 F-2 Paper Holder.

Price of above fixtures, \$35.75.

## Fairfacts Equipment Suggested for Residences Costing \$15,000 to \$25,000

**Owner's Bathroom—For Lavatory**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-330 Tooth Brush Holder; 1 F-320—24" White Glass Shelf; 1 F-300—24" Non-slip Towel Bar; 1 F-340 Towel Hook; 1 F-341 Washcloth Hook; 1 F-5003 Medicine Cabinet.

**For Bathtub**—\*1 F-151 or F-152 Combined Soap and Safety Grip; 1 F-170 Sponge Holder; 1 F-300—36" Non-slip Towel Bar.

**For Water Closet**—1 F-1 Paper Holder; 1 F-342 Douche Hook.

**General**—1 F-180 Radiator; 1 F-680 Bathroom Seat; 1 F-700 Door Stop.

Prices of above fixtures, \$155.00.

**First Floor Toilet Room—For Lavatory**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-320—24" White Glass Shelf; 1 F-300—24" Non-slip Towel Bar; 2 F-340 Towel Hooks; 1 F-340 Robe Hook; 1 F-9002 Mirror.

**For Water Closet**—1 F-1 Paper Holder.

Price of above fixtures, \$37.30.

\*With shower baths use soap holders or combined soap holders and safety grips, self-drain type.

**For Kitchen**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-300—24" Non-slip Towel Bar; 1 F-320—30" White Glass Shelf.

Price of above fixtures, \$12.00.

**Guest's Bathroom—For Lavatory**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-330 Tooth Brush Holder; 1 F-320—20" White Glass Shelf; 1 F-300—24" Non-slip Towel Bar; 1 F-341 Washcloth Hook; 1 F-5000 Medicine Cabinet.

**For Bathtub**—\*1 F-151 or F-152 Combined Soap and Safety Grip; 1 F-135 for Sponge; 1 F-300—36" Non-slip Towel Bar.

**For Water Closet**—1 F-1 Paper Holder; 1 F-342 Douche Hook.

**General**—1, F-180 Radiator; 1 F-700 Door Stop.

Price of above fixtures, \$106.40.

**Servant's Bathroom—For Lavatory**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-330 Tooth Brush Holder; 1 F-300—18" Non-slip Towel Bar; 1 F-6000 Medicine Cabinet.

**For Bathtub**—1 F-152 Combination Soap and Safety Grip; 1 F-300—24" Non-slip Towel Bar.

**For Water Closet**—1 F-2 Paper Holder.

Price of above fixtures, \$35.75.

## Fairfacts Equipment Suggested for Residences Costing \$25,000 Up

**Master's Bathroom—For Lavatory**—2 F-119 Combination Soap and Tumbler; 1 F-405 Tooth Brush and Paste Holder; 1 F-460—30" White Glass Shelf; 2 F-340 Towel Hooks; 1 F-341 Washcloth Hook; 2 F-430—24" Non-slip Towel Bars; 1 F-7002 Medicine Cabinet.

**For Bathtub**—\*1 F-155 or F-156 Combination Double Soap Holder and Safety Grip; 1 F-172 Double Sponge Holder; 1 F-135 Corner Soap Holder; 1 F-310—48" Non-slip Towel Bar.

**For Shower Compartment**—\*1 F-156 Combination Double Soap Holder and Safety Grip; 1 F-340 Towel Hook.

**For Water Closet**—1 F-60 Paper Holder; 1 F-342 Douche Hook.

**General**—1 F-180 Radiator; 1 F-680 Bathroom Seat; 1 F-700 Door Stop.

Price of above fixtures, \$266.20.

**Guest's Bathroom—For Lavatory**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-405 Tooth Brush and Paste Holder; 1 F-465—24" White Glass Shelf; 1 F-430—24" Non-slip Towel Bar; 1 F-490 Towel Hook; 1 F-5002 Medicine Cabinet.

**For Bathtub**—\*1 F-155 or F-156 Combination Double Soap Holder and Safety Grip; 1 F-135 for sponge.

**For Water Closet**—1 F-60 Paper Holder; 1 F-342 Douche Hook.

**General**—1 F-180 Radiator; 1 F-680 Bathroom Seat; 1 F-700 Door Stop.

Price of above fixtures, \$168.80.

**First Floor Toilet Room**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-320—30" White Glass Shelf; 2 F-300—24" Non-slip Towel Bars; 2 F-340 Towel Hooks; 1 F-340 Robe Hook; 1 F-9002 Mirror; 1 F-60 Paper Holder; 1 F-700 Door Stop.

Price of above fixtures, \$50.10.

**Servant's Bathroom—For Lavatory**—1 F-115 Soap Holder; 1 F-160 Tumbler Holder; 1 F-330 Tooth Brush Holder; 1 F-300—18" Non-slip Towel Bar; 1 F-6000 Medicine Cabinet.

**For Bathtub**—\*1 F-152 Combination Soap and Safety Grip; 1 F-300—24" Non-slip Towel Bar.

**For Water Closet**—1 F-2 Roll Paper Holder.

Price of above fixtures, \$35.75.

**Kitchen**—2 F-117 Soap Holders; 1 F-160 Tumbler Holder.

Price of above fixtures, \$26.00.

**Pantry**—1 F-117 Soap Holder; 1 F-160 Tumbler Holder; 1 F-310—48" Non-slip Towel Bar; 1 F-340 Towel Hook.

Price of above fixtures, \$25.10.

**Laundry**—1 F-117 Soap Holder; 1 F-160 Tumbler Holder; 2 F-340 Towel Hooks.

Price of above fixtures, \$16.20.

## SUGGESTED SCHEDULES OF FAIRFACTS ACCESSORIES FOR VARIOUS PRICED RESIDENCES



# Fairfacts Fixtures

Add Any of the Following Lists to Specifications Given on Page 15 Varied to Suit Requirements

## Equipment Shown with Plumbing Fixtures on Page 14

### Upper left illustration

#### FOR LAVATORY

- 1 F-115 Soap Holder
- 1 F-160 Tumbler Holder
- 1 F-330 Tooth Brush Holder
- 1 F-320—24" White Glass Shelf
- 1 F-300—24" Non-slip Towel Bar
- 1 F-5003 Medicine Cabinet

Price of above fixtures, \$43.50

### Upper right illustration

#### FOR LAVATORY

- 1 F-400 Soap Holder
- 1 F-403 Tumbler Holder
- 1 F-405 Tooth Brush and Paste Holder
- 1 F-460—24" White Glass Shelf
- 1 F-430—24" Non-slip Towel Bar
- 1 F-5003 Medicine Cabinet

Price of above fixtures, \$48.00

### Middle left illustration

#### FOR BATH TUB

- 1 F-115 Soap Holder
- 1 F-140 Safety Grip
- 1 F-170 Sponge Holder
- 1 F-135 Soap Holder
- 1 F-310—48" Heavy Non-slip Towel Bar

Price of above fixtures, \$24.00

### Middle right illustration

#### FOR KITCHEN SINK

- 1 F-115 Soap Holder

Price of above fixture, \$2.00

### Lower left illustration

#### FOR BATH TUB AND SHOWER BATH OVER

- 1 F-125 Soap Holder
- 1 F-140 Safety Grip
- 1 F-170 Sponge Holder
- 1 F-135 Soap Holder

Price of above fixtures, \$14.00

### Lower right illustration

#### FOR W. C.

- 1 F-1 Roll Paper Holder

Price of above fixture, \$5.00

## Fairfacts Equipment Suggested for Hospitals

### LAVATORIES

- 1 F-115 Soap Holder
- 1 F-160 Tumbler Holder
- 1 F-320—24" White Glass Shelf
- 1 F-300—24" Non-slip Towel Bar
- 1 F-9002 Mirror

### BATH TUBS

- 1 F-156 Double Combination Soap and Safety Grip
- 1 F-300—36" Non-slip Towel Bar

### FOR W. C.

- 1 F-1 Roll Paper Holder
- 1 F-342 Douche Hook

### SHOWER ROOM

- \*1 F-152 Combination Soap and Safety Grip
- 1 F-340 Towel Hook
- 1 F-685 Bathroom Seat

### GENERAL TOILET ROOMS

#### For Each Lavatory

- 1 F-119 Combination Tumbler and Soap Holder
- 1 F-325—20" White Glass Shelf
- 1 F-9002 Mirror

#### For Each W. C.

- 1 F-1 Roll Paper Holder
- 1 F-805 Double Robe Hook

#### For Slop Sinks

- 1 F-117 Large Soap Holder
- 1 F-300—18" Non-slip Towel Bar
- 1 F-340 Towel Hook

### GENERAL

- 1 F-700 Door Stop

## Fairfacts Equipment Suggested for Office Buildings

### PUBLIC TOILET ROOMS

#### For Each Lavatory

- 1 F-100 Soap Holder
- 1 F-325—20" White Glass Shelf
- 1 F-805 Metal Double Robe Hook
- 1 F-9001 Mirror

#### For Each W. C.

- 1 F-25 Paper Holder
- 1 F-805 Metal Double Robe Hook

\*With shower baths use soap holders or combined soap holders and safety grips, self-drain type.



# Fairfacts Fixtures

## DIMENSIONS—CONDENSED DESCRIPTION

*Covered by Many U. S. Patents*

Sizes are in inches, horizontal, vertical and depth in wall, in order given,  
with a few exceptions that will be apparent.

| No.   | Size      | FIXTURE  | No.   | Size      | FIXTURE   |
|-------|-----------|--|-------|-----------|---|
| F-1   | 6x6x3¼"   | Biltin Roll Paper Holder, Rewind Roller          | F-401 | 9x3x¾"    | Projecting Soap and Tumbler Holder, Clincher Back         |
| F-2   | 6x6x3¼"   | Biltin Roll Paper Holder, Plain Roller           | F-402 | 9x3x¾"    | Projecting Soap and Tooth Brush, Clincher Back            |
| F-12  | 6x6x3¼"   | Biltin Roll Paper Holder, Plain Roller           | F-403 | 6x3x¾"    | Projecting Tumbler Holder, Clincher Back                  |
| F-25  | 6x6x2¾"   | Biltin Sheet Paper Holder                        | F-404 | 9x3x¾"    | Projecting Tooth Brush, Paste and Tumbler, Clincher Back  |
| F-26  | 6x6x2¾"   | Biltin Sheet Paper Holder, Straight Slot         | F-405 | 6x3x¾"    | Projecting Tooth Brush and Paste, Clincher Back           |
| F-30  | 9x2½x1¾"  | Projecting Roll Paper Holder, Plain Roller       | F-406 | 6x3x¾"    | Projecting Cigar Rest, Clincher Back                      |
| F-60  | 8x10½x3"  | Biltin Sheet Paper Holder                        | F-407 | 6x1½x¾"   | Projecting Tumbler and Tooth Brush, Clincher Back         |
| F-100 | 6x3x2¼"   | Biltin Soap Holder with lip                      | F-408 | 6x1½x¾"   | Projecting Soap Holder, Clincher Back                     |
| F-105 | 4¼x4¼x3"  | Biltin Soap Holder with lip                      | F-409 | 6x1½x¾"   | Projecting Tooth Brush Holder, Clincher Back              |
| F-110 | 6x4¼x2¾"  | Biltin Soap Holder with lip                      | F-410 | 9x3x¾"    | Projecting Roll Paper Holder, Plain Roller, Clincher Back |
| F-112 | 8½x4¼x2¾" | Biltin Soap Holder with lip                      | F-412 | 9x3x¾"    | Projecting Sheet Paper Holder, Clincher Back              |
| F-115 | 6x6x2¾"   | Biltin Soap Holder with lip                      | F-417 | 6x3x¾"    | Projecting Tooth Brush and Tumbler, Clincher Back         |
| F-116 | 9x6x2¾"   | Biltin Soap Holder with lip                      | F-450 | 6x3x¾"    | Projecting Safety Grip, Clincher Back                     |
| F-117 | 12x6x2¾"  | Biltin Soap Holder with lip                      | F-451 | 9x3x¾"    | Projecting Safety Grip, Clincher Back                     |
| F-118 | 12x6x2¾"  | Biltin Soap Holder with lip                      | F-452 | 12x3x¾"   | Projecting Safety Grip, Clincher Back                     |
| F-119 | 12x6x3¼"  | Biltin Soap Holder with lip                      | F-470 | 6x3x¾"    | Projecting Sponge Holder, Clincher Back                   |
| F-120 | 6x3x2¾"   | Biltin Soap Holder, Self Drain                   | F-480 | 6x3x¾"    | Projecting Tooth Brush Holder, Clincher Back              |
| F-121 | 4¼x4¼x3"  | Biltin Soap Holder, Self Drain                   | F-490 | 6x3x¾"    | Projecting Towel Hook, Clincher Back, 4" long             |
| F-122 | 6x4¼x3"   | Biltin Soap Holder, Self Drain                   | F-500 | 4¼x4¼x¾"  | Projecting Soap Holder, Clincher Back                     |
| F-123 | 8½x4¼x3"  | Biltin Soap Holder, Self Drain                   | F-501 | 8½x4¼x¾"  | Projecting Soap and Tumbler Holder, Clincher Back         |
| F-125 | 6x6x3"    | Biltin Soap Holder, Self Drain                   | F-502 | 8½x4¼x¾"  | Projecting Soap and Tooth Brush, Clincher Back            |
| F-126 | 9x6x3"    | Biltin Soap Holder, Self Drain                   | F-503 | 4¼x4¼x¾"  | Projecting Tumbler Holder, Clincher Back                  |
| F-127 | 12x6x3"   | Biltin Soap Holder, Self Drain                   | F-504 | 8½x4¼x¾"  | Projecting Tooth Brush, Paste and Tumbler, Clincher Back  |
| F-128 | 12x6x3"   | Biltin Soap Holder, Self Drain                   | F-505 | 4¼x4¼x¾"  | Projecting Tooth Brush and Paste, Clincher Back           |
| F-130 | 4¼x1¼"    | Projection Soap Holder, Dowel Type               | F-506 | 4¼x4¼x¾"  | Projecting Cigar Rest, Clincher Back                      |
| F-135 | 5¾x1¼"    | Corner Soap Holder, Dowel Type                   | F-550 | 8½x4¼x¾"  | Projecting Safety Grip, Clincher Back                     |
| F-140 | 6x6x2¾"   | Biltin Safety Grip                               | F-570 | 8½x4¼x¾"  | Projecting Sponge Holder, Clincher Back                   |
| F-145 | ...x1¾"   | Projecting Safety Grip 12" long, Dowel Type      | F-590 | 4¼x4¼x¾"  | Projecting Towel Hook, Clincher Back, 4" long             |
| F-146 | ...x1¾"   | Projecting Safety Grip 18" long, Dowel Type      | F-640 | 12x3x¾"   | Projecting Comb and Brush Holder, Clincher Back           |
| F-150 | 6x6x3"    | Biltin Combined Soap and Safety Grip, Self Drain | F-680 | 15x15x3"  | China Bathroom Seat and Bracket                           |
| F-151 | 6x6x2¾"   | Biltin Combined Soap and Safety Grip, with lip   | F-685 | 15x15x1¼" | China Bathroom Corner Seat                                |
| F-152 | 6x6x3"    | Biltin Combined Soap and Safety Grip, Self Drain | F-700 | 3x3"      | Door Stop, Clincher Back                                  |
| F-153 | 9x6x2¾"   | Biltin Combined Soap and Safety Grip, with lip   | F-800 |           | Metal Douche Hook, White Coated, screw to wall            |
| F-154 | 9x6x3"    | Biltin Combined Soap and Safety Grip, Self Drain | F-805 |           | Metal Double Robe Hook, White Coated, screw to wall       |
| F-155 | 12x6x2¾"  | Biltin Combined Soap and Safety Grip, with lip   | F-810 |           | Metal Towel and Strop Hook, White Coated, screw to wall   |
| F-156 | 12x6x3"   | Biltin Combined Soap and Grip, Self Drain        |       |           |   |
| F-157 | 6x3x2¼"   | Biltin Comb. Soap and Grip (Grip at Bottom)      |       |           |   |
| F-158 | 6x3x2¼"   | Biltin Comb. Soap and Grip (Grip at Top)         |       |           |   |
| F-160 | 6x6x2¼"   | Biltin Tumbler Holder                            |       |           |   |
| F-165 | 3¼x1¼x1¾" | Projecting Tumbler Holder, Dowel Type            |       |           |   |
| F-170 | 6x6x3¼"   | Biltin Sponge Holder                             |       |           |   |
| F-171 | 12x6x3¼"  | Biltin Combined Soap and Sponge with lip         |       |           |   |
| F-172 | 12x6x3"   | Biltin Combined Soap and Sponge, Self Drain      |       |           |   |
| F-175 | 6x6x3"    | Biltin Sponge Holder                             |       |           |   |
| F-180 | 15x15x5"  | Biltin Electric Radiator, complete, no wire      |       |           |   |
| F-190 | 6x4¼x2¾"  | Biltin Combined Soap and Grip with lip           |       |           |   |
| F-191 | 8½x4¼x2¾" | Biltin Combined Soap and Grip with lip           |       |           |   |
| F-195 | 6x4¼x3"   | Biltin Combined Soap and Grip, Self Drain        |       |           |   |
| F-196 | 8½x4¼x3"  | Biltin Combined Soap and Grip, Self Drain        |       |           |   |
| F-330 | 6x2¼x1¾"  | Projecting Tooth Brush Holder, Dowel Type        |       |           |   |
| F-331 | 6x2¼x2"   | Projecting Tooth Brush Holder, Dowel Type        |       |           |   |
| F-340 | 2¾x2¾x1¾" | Projecting Towel Hook, Dowel Type, 4" long       |       |           |   |
| F-341 | 1¾x2¾x1¾" | Projecting Robe Hook, Dowel Type, 3½" long       |       |           |   |
| F-342 | 1¾x2¾x1"  | Projecting Douche Hook, Dowel Type, 2" long      |       |           |   |
| F-400 | 6x3x¾"    | Projecting Soap Holder, Clincher Back            |       |           |   |

### SEMI-RECESSED FLANGED FIXTURES

|         |        |                                     |
|---------|--------|-------------------------------------|
| F-02    | 6x6x1" | Roll Paper Holder                   |
| F-025   | 6x6x1" | Sheet Paper Holder                  |
| F-0100  | 6x3x1" | Soap Holder, with lip               |
| F-0115  | 6x6x1" | Soap Holder, with lip               |
| F-0120  | 6x6x1" | Soap Holder, Self Drain             |
| F-0125  | 6x6x1" | Soap Holder, Self Drain             |
| F-0125x | 6x6x1" | Soap Holder, Extended Drain         |
| F-0151  | 6x6x1" | Comb. Soap and Grip with lip        |
| F-0152  | 6x6x1" | Comb. Soap and Grip, Self Drain     |
| F-0152x | 6x6x1" | Comb. Soap and Grip, Extended Drain |
| F-0158  | 6x3x1" | Comb. Soap and Grip, Self Drain     |
| F-0160  | 6x6x1" | Tumbler Holder                      |

(Continued on page 20)



# Fairfacts Fixtures

## (DIMENSIONS—CONDENSED DESCRIPTION, CONTINUED)

### TOWEL BARS

#### TOWEL BARS WITH CHINA POSTS 7/8" SQUARE WHITE PYRALIN BARS

| Type of Post                       | Length of Bars |     |     |     |     |     |
|------------------------------------|----------------|-----|-----|-----|-----|-----|
| F-300 Dowel or Shank Back..        | 18"            | 24" | 30" | 36" | 42" | 48" |
| F-430 6x3" Clincher Back....       | "              | "   | "   | "   | "   | "   |
| F-530 4 1/4 x 4 1/4" Clincher Back | "              | "   | "   | "   | "   | "   |
| F-600 3x3" Clincher Back....       | "              | "   | "   | "   | "   | "   |
| F-630 2x3" " " " " " "             | "              | "   | "   | "   | "   | "   |

Towel Bars are also available in white, black and some colors as follows:

|                                    |           |
|------------------------------------|-----------|
| 7/8" Square White Glass Bar.....   | up to 36" |
| 1" Round " " " " " " " "           | " 48"     |
| 1" " Crystal " " " " " " " "       | " 48"     |
| 1" " White Pyralin " " " " " " " " | " 48"     |

1 1/8" SQUARE WHITE PYRALIN BARS, EXTRA HEAVY  
F-310 Dowel or Shank Back.....up to 48" in length

42-INCH AND 48-INCH BARS HAVE CENTER POSTS

### WHITE GLASS SHELVES

#### WHITE GLASS SHELVES 5" WIDE WITH CHINA BRACKETS SHELVES REST ON BRACKETS

| Type of Bracket                         | Length of Shelves |     |     |
|---|-------------------|-----|-----|
| F-320 Dowel or Shank Back.....          | 20"               | 24" | 30" |
| F-460 6x3" Clincher Back.....           | "                 | "   | "   |
| F-560 4 1/4 x 4 1/4" Clincher Back..... | "                 | "   | "   |
| F-620 3x3" Clincher Back.....           | "                 | "   | "   |

#### SHELVES BOLT TO BRACKETS

|   |   |   |   |
|---|---|---|---|
| F-325 Dowel or Shank Back.....          | " | " | " |
| F-465 6x3" Clincher Back.....           | " | " | " |
| F-565 4 1/4 x 4 1/4" Clincher Back..... | " | " | " |
| F-625 3x3" Clincher Back.....           | " | " | " |

#### WHITE GLASS TOWEL SUPPLY SHELVES 6 3/4" WIDE WITH CHINA BRACKETS AND IN THE FOLLOWING LENGTHS:

#### SHELVES REST ON BRACKETS. BRACKETS SCREW TO WALL

|                                |     |     |     |     |
|--------------------------------|-----|-----|-----|-----|
| F-850 Shelves 5/16" thick..... | 20" | 24" | 26" | 28" |
|--------------------------------|-----|-----|-----|-----|

#### WHITE COATED METAL HOTEL TOWEL SHELVES

|   |  |
|---|--|
| F-9500 24x8 Heavy Gauge Electric Welded Hotel Towel Shelf |  |
|---|--|

### MEDICINE CABINETS AND BATHROOM MIRRORS

|        |                  |               |        | Depth  | Size Over All |                               |               |               |        | Depth    | Size Over All |
|--------|------------------|---------------|--------|--------|---------------|-------------------------------|---------------|---------------|--------|----------|---------------|
| F-1000 | Medicine Cabinet | Recessed..... | 3 3/8" | 20x16" | F-6003        | Medicine Cabinet              | Recessed..... | 3 3/4"        | 30     | x24"     |               |
| F-1001 | "                | "             | 3 3/8" | 22x18" | F-7000        | "                             | "             | 4 1/2"        | 22 3/4 | x18 3/8" |               |
| F-2000 | "                | "             | 3 3/8" | 24x18" | F-7001        | "                             | "             | 4 1/2"        | 28 1/2 | x21 5/8" |               |
| F-3000 | "                | "             | 3 3/8" | 22x18" | F-7002        | "                             | "             | 4 1/2"        | 32 1/4 | x23 5/8" |               |
| F-3001 | "                | "             | 3 3/8" | 24x20" | F-8000        | "                             | "             | Wall Type.... | 5"     | 21 1/2   | x17 1/2"      |
| F-3002 | "                | "             | 3 3/8" | 26x20" | F-8001        | "                             | "             | "             | 5"     | 23 1/2   | x19 1/2"      |
| F-4000 | "                | "             | 3 3/8" | 24x18" | F-9000        | Mirror.....                   |               |               | 1"     | 21 1/4   | x15 1/4"      |
| F-4001 | "                | "             | 3 3/8" | 28x18" | F-9001        | "                             |               |               | 1"     | 23 3/4   | x17 1/4"      |
| F-4002 | "                | "             | 3 3/8" | 26x20" | F-9002        | "                             |               |               | 1"     | 25 1/4   | x19 1/4"      |
| F-5000 | "                | "             | 3 3/4" | 24x18" | F-9003        | "                             |               |               | 1"     | 27 1/4   | x21 1/4"      |
| F-5001 | "                | "             | 3 3/4" | 26x20" | F-9300        | Mirror, Open Shelf Below..... |               |               | 3 3/8" | 26 3/4   | x15 3/8"      |
| F-5002 | "                | "             | 3 3/4" | 28x22" | F-9301        | "                             | "             | "             | 3 3/8" | 22 3/4   | x19 3/8"      |
| F-5003 | "                | "             | 3 3/4" | 30x24" | F-9302        | "                             | "             | "             | 3 3/8" | 28 3/4   | x17 3/8"      |
| F-6000 | "                | "             | 3 3/4" | 24x18" | F-9303        | "                             | "             | "             | 3 3/8" | 24 3/4   | x21 3/8"      |
| F-6001 | "                | "             | 3 3/4" | 26x20" | F-9304        | "                             | "             | "             | 3 3/8" | 20 3/4   | x19 3/4"      |
| F-6002 | "                | "             | 3 3/4" | 28x22" | F-9305        | "                             | "             | "             | 3 3/8" | 26 3/4   | x23 3/8"      |

### ACCESS CABINETS

For Plate Numbers, Dimensions, Etc., See Page 12



# *Fairfacts Fixtures*

## CHINA ACCESSORIES

### FOR THE BATHROOM

*In the Following Types*

"BILTIN" OR RECESS—SEMI-RECESS AND  
PROJECTING

*Available in*

WHITE, BLACK AND ALL COLORS SIMILAR TO TILE.

---

*Also*

MEDICINE CABINETS, MIRRORS, ETC.

---

*Manufacturers*

*The Fairfacts Company*  
INCORPORATED

234-236 WEST FOURTEENTH STREET  
NEW YORK, U.S.A.

LOS ANGELES

PHILADELPHIA  
WASHINGTON, D. C.

SAN FRANCISCO

Cable Address  
"FAIRFACTS" NEW YORK

Cities  
ABC 6TH EDITION AND BENTLEY'S



BATHROOM ACCESSORIES - Fairfacts - A.L.A. File No 231

BATHROOM ACCESSORIES - Fairfacts -

## *Fairfacts Fixtures*



TRADE MARK  
REGISTERED

234-236 WEST FOURTEENTH STREET  
NEW YORK, U.S.A.

LOS ANGELES                      PHILADELPHIA  
SAN FRANCISCO                  WASHINGTON, D. C.



Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY  
[www.apti.org](http://www.apti.org)

For the

BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE  
SPECIAL COLLECTIONS  
HOWARD-TILTON MEMORIAL LIBRARY

<http://seaa.tulane.edu>